




INDIAN
INNOVATION,
GLOBAL
BRILLIANCE!"




CATALOGUE 2024

 www.teamcap.in

WELCOME TO THE **TEAMCAP** WORLD



Our Incredible Range Of
**Electrical
Products**



TEAMCAP has established it self as a premier and esteemed supplier of electrical goods. The experts and providers in our firm have over 25 years of experience in handling the Indian electric market's power distribution equipment. As a leader in the fast-moving realm of such commodities, we have cultivated a strong presence and reputation of excellence across our fair nation.

From wires and cables to circuits of protection and lighting that illuminate, as well as switches and accessories galore, our innovations reflect our commitment to achieving greatness in all our creations.

Our firm has pioneered the concept of authorized distributors within our industry, and today over fifty distinguished dealers fly our prestigious banner across the country. They assist both domestic and commercial customers in selecting from our vast array of options suited to their diverse needs.

Due to the quality of our offerings and the willingness of our service, we have attained the dual honors of minimal complaints and maximum satisfaction among our cherished clientele. Honesty and accountability form the foundation upon which we conduct all our affairs and assume responsibility at all levels. Strong ethics and high morality constitute the paramount virtues for success in any endeavor.



VISSION

With cutting-edge innovation at the forefront of our industry, we aspire to simplify lives with style and be recognized globally as a paragon of excellence, governance, customer delight, and fairness towards every stakeholder in society and the environment in which we operate.

MISSION

To realize our vision through honorable business practices, worldwide reach, technological expertise, and long-standing relationships built on trust with all associates, patrons, partners, and employees. We aim to craft products of high quality using materials that nurture nature.

VALUES QUALITY

We establish rigorous standards of excellence in our in-house production and testing. Trust: We assure you of having the proper provisions and caliber in our warehouse. Innovation: Our novel, safe, energy-efficient solutions and products delight customers.



DECORATIVE LED BULB	01
BRIGHTNESS LED BULB	02
INVERTER LED BULB	03
HIGH WATTAGE LED BULB	04
LED BATTEN LIGHT	05
PC BODY LED PANEL LIGHT	06
SLIM PANEL LIGHT (PREMIUM METAL BODY)	07
DEEP DOWN LIGHT (PREMIUM METAL BODY)	08
DEEP DOWN LIGHT WITH REFLECTOR (PREMIUM METAL BODY)	09
2X2 OFFICE PANEL	10
SLIM SURFACE LIGHT (PREMIUM METAL BODY)	11
LED STRIKER LIGHT	12
LED DOWN LIGHT	13
DEEP JUNCTION LIGHT	14
DEEP JUNCTION LIGHT	15
LED CONCEALED LIGHT	16
LED CONCEALED LIGHT	17
MOVABLE COB LIGHT	19
LED COB CONCEALED LIGHT	20
PREMIUM DEEP COB LIGHT	21
DEEP COB LIGHT	22
LED CABINET LIGHT	23
CYLINDER COB LIGHT	24
LED STREET LIGHT	26
LED FLOOD LIGHT (GLASS MODEL)	27
LED FLOOD LIGHT (LENS MODEL)	28
OUTDOOR LED WALL LIGHT	29
DURO WIRES	31
CAPACITORS	32
MINITURE CIRCUIT BREAKER "C" TYPE (MCB)	33
SINGLE PHASE SUB METER 5-30A	34



**Convert
Energy To The
Carefree Light
With Teamcap
Lighting**

DECORATIVE
**LED
BULB**



Item Code	Watt	Colour	Housing	Base
TC - 1001	0.5W	W-R-G-B-Y-P	PC	B-22

BRIGHTNESS
**LED
BULB**



Item Code	Watt	Colour	Lumens (lm)	Housing	Base
TC - 1002	9W	Cool White	105lm/W	PC	B-22
TC - 1003	12W	Cool White	105lm/W	PC	B-22
TC - 1004	15W	Cool White	105lm/W	PC	B-22
TC - 1005	23W	Cool White	105lm/W	PC	B-22

INVERTER
**LED
BULB**



Item Code	Watt	Colour	Lumens (lm)	Housing	Base
TC - 1008	9W	Cool White	105lm/W	PC	B-22

HIGH WATTAGE

LED BULB



Item Code	Watt	Colour	Lumens (lm)	Housing	Base
TC - 1081	20W	Cool White	105lm/W	PC	B-22
TC - 1006	30W	Cool White	105lm/W	PC	B-22
TC - 1007	50W	Cool White	105lm/w	PC	B-22

LED BATTEN LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Lenght
TC - 1009	20W	Cool White	105lm/W	Pc	4 Feet
TC - 1010	36W	Cool White	105lm/W	Alu.die.cast	4 Feet

PC BODY LED PANEL LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1023	8w-R/S	C-N-W-3IN1	800 lm	PC	120 mm	100 mm	120°
TC - 1024 - M	15w-R/S	C-N-W-3IN1	1500 lm	PC	145 mm	125 mm	120°
TC - 1024	15w-R/S	C-N-W-3IN1	1500 lm	PC	170 mm	150 mm	120°
TC - 1025	22w-R/S	C-N-W-3IN1	2200 lm	PC	200 mm	205 mm	120°

PREMIUM METAL BODY

SLIM PANEL LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1020	8w-R/S	C-N-W-3IN1	720 lm	Die Cast. Alu.	120 mm	100 mm	120°
TC - 1021	15w-R/S	C-N-W-3IN1	1350 lm	Die Cast. Alu.	170 mm	150 mm	120°
TC - 1022	22w-R/S	C-N-W-3IN1	1980 lm	Die Cast. Alu.	220 mm	200 mm	120°

PREMIUM METAL BODY

DEEP DOWN LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1026	12w-R	C-N-W	1080 lm	Die Cast. Alu.	140 mm	120 mm	120°
TC - 1027	18w-R	C-N-W	1620 lm	Die Cast. Alu.	170 mm	145 mm	120°

PREMIUM METAL BODY

DEEP DOWN LIGHT

(With Reflector)



Item Code	Watt	Colour	Body Colour	Reflector Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1028	6w-R	C-N-W	W-B	Rg-W-B	5040 lm	Die Cast. Alu.	85 mm	75 mm	120°
TC - 1029	12w-R	C-N-W	W-B	Rg-W-B	1080 lm	Die Cast. Alu.	105 mm	95 mm	120°

2X2 OFFICE PANEL



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1059	40W	CW/WW/NW	4400 lm	METAL	600 mm	600 mm	120°

PREMIUM METAL BODY

SLIM SURFACE LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Beam Angle
TC - 1031	8w-R/S	C-N-W-3IN1	720 lm	Die Cast. Alu.	120 mm	120°
TC - 1032	15w-R/S	C-N-W-3IN1	1350 lm	Die Cast. Alu.	170 mm	120°
TC - 1033	22w-R/S	C-N-W-3IN1	1980 lm	Die Cast. Alu.	220 mm	120°

LED STRIKER LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Beam Angle
TC - 1037	3w-R	C-W-R-G-B-P	165 lm	PC	60 mm	60°

LED DOWN LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1056	7W	C/W/N/3IN1 (C+W+N) (P+G+B) (B+G+SB)	560 lm	PC	111 mm	80 mm	120°

DEEP JUNCTION LIGHT



Item Code	Watt	Colour	Lumens (lm)	Dimension	Cutout	Beam Angle
TC - 1052	4W	CW/WW/NW/3IN1 (CW+WW+NW) (RD+BL+PK) (BL+GN+SB)	210 lm	80 mm	60 mm	60°

DEEP JUNCTION LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1036	6w-R	C-W-R-G-B-P	570 lm	PC	70 mm	45 mm	60°

LED CONCEALED LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1034	7W	C-W-R-G-B-P	630 lm	PC	110 mm	75 mm	120°

LED CONCEALED LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1051	6W	C/W/N/R/G/B/P/3IN1 (C+W+N) (R+B+P)	600 lm	PC	110 mm	75 mm	120°

Reflect Your
Interior With
Premium
Range of
Cob
Light



**MOVABLE
COB
LIGHT**



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1039	4w-R	C-N-W	360 lm	Die Cast. Alu.	45 mm	55 mm	38°
TC - 1040	8w-R	C-N-W	810 lm	Die Cast. Alu.	85 mm	75 mm	38°
TC - 1041	15w-R	C-N-W	1350 lm	Die Cast. Alu.	105 mm	95 mm	38°

LED COB CONCEALED LIGHT



Item Code	Watt	Colour	Lumens (lm)	Dimension	Cutout	Beam Angle
TC - 1053	3W	CW/WW/NW/RD/GN/BL/PK/3IN1 (CW+WW+NW)(RD+BL+PK) (BL+GN+SB)	240 lm	70 mm	56 mm	60°

PREMIUM DEEP
COB
LIGHT



Item Code	Watt	Body Colour	Reflector Colour	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1044	8W	White / Black	Rose Gold/black	C-N-W	720 lm	Die Cast. Alu.	70 mm	65 mm	38°
TC - 1045	15W	White / Black	Rose Gold/black	C-N-W	1350 lm	Die Cast. Alu.	85 mm	80 mm	38°
TC - 1046	20W	White / Black	Rose Gold/black	C-N-W	1980 lm	Die Cast. Alu.	95 mm	90 mm	38°

DEEP COB LIGHT




Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1042	8w-R	C-N-W	360 lm	Die Cast. Alu.	65 mm	55 mm	38°
TC - 1043	15w-R	C-N-W	1080 lm	Die Cast. Alu.	85 mm	75 mm	38°

LED CABINET LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Dimension	Cutout	Beam Angle
TC - 1038	2W	C-W-R-G-B	120 lm	PC	42 mm	32 mm	45°

CYLINDER COB LIGHT



Item Code	Watt	Body Colour	Reflector Colour	Colour	Lumens (lm)	Housing	Dimension	Length	Beam Angle
TC - 1047	8W	White / Black	Rose Gold/black	C-N-W	120 lm	Die Cast. Alu.	50 mm	100 mm	38°
TC - 1048	15W	White / Black	Rose Gold/black	C-N-W	1350 lm	Die Cast. Alu.	75 mm	125 mm	38°
TC - 1049	20W	White / Black	Rose Gold/black	C-N-W	1980 lm	Die Cast. Alu.	100 mm	150 mm	38°



TRANSFORMING **SPACES** WITH CAPTIVATING **LIGHT**



LED STREET LIGHT



Item Code	Watt	Colour	Lumens (lm)	Housing	Beam Angle
TC - 1017	24W	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1018	36W	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1019	50W	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1071	100W	Cool White	135 lm/Watt	Die Cast. Alu.	90°

LED FLOOD LIGHT

(GLASS MODEL)




Item Code	Watt	Body Colour	Colour	Lumens (lm)	Housing	Beam Angle
TC - 1011	50W	Black	C-N-R-G-B-P	135 lm/Watt	Die Cast. Alu.	180°
TC - 1012	100W	Black	C-N-R-G-B-P	135 lm/Watt	Die Cast. Alu.	180°

LED FLOOD LIGHT (LENS MODEL)



Item Code	Watt	Body Colour	Colour	Lumens (lm)	Housing	Beam Angle
TC - 1013	50W	Black	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1014	100W	Black	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1015	150W	Black	Cool White	135 lm/Watt	Die Cast. Alu.	90°
TC - 1016	200W	Black	Cool White	135 lm/Watt	Die Cast. Alu.	90°

OUTDOOR
LED
WALL LIGHT



Item Code	Watt	Colour	Housing	Ip Rating
TC - 1061	2W 2WAY	C-W	PC	IP 65
TC - 1062	4W 4WAY	C-W	PC	IP 65
TC - 1063	6W K-UP	C-W	PC	IP 65
TC - 1064	12W K-UP/DOWN	C-W	PC	IP 65

Claim Your Power To Connect With Teamcap Wires





APPLICATIONS

HOUSE WIRING | BUILDING WIRING | APARTMENT WIRING | HOSPITAL WIRING | INDUSTRIAL WIRING | CONTROL PANELS

“DURO” PLAIN COPPER CONDUCTOR, FRLS PVC INSULATED UNSHEATHED UP TO 1100V SINGLE CORE CABLES FOR HOUSE WIRING AS PER 

Product Code	Product Name	Description (Sq. mm)	Current Rating in Amp.	Length in Mtrs.	Std. Packing
TC-2001	DURO 0.75 MM	10/0.30	7	90	30
TC-2002	DURO 1.0 MM	14/0.30	11	90	30
TC-2003	DURO 1.5 MM	22/0.30	14	90	27
TC-2004	DURO 2.5 MM	36/0.30	19	90	12
TC-2005	DURO 4.0 MM	56/0.30	26	90	10
TC-2006	DURO 6.0 MM	84/0.30	34	90	10

*packaging : 90 mts. coils packed in attractive as well as protective boxes

Select The Teamcap Capacitors For Your Power Supply Filtering...




CEILING FAN CAPACITOR

PRODUCT CODE	MFD	VOLT	SIZE	TYPE
TC - 1066	2.50	440	28 X 52	DRY
TC - 1067	3.15	440	28 X 52	DRY

OIL CAPACITOR

PRODUCT CODE	MFD	VOLT	SIZE	TYPE
TC - 1069	2.50	440	28 X 52	FILLING WITH GELLY
TC - 1070	3.15	440	28 X 52	FILLING WITH GELLY

NEVER TAKE SHORTCUTS WITH ELECTRICITY
AND BE WORRY FREE USING **TEAMCAP MCB**



MINITURE CIRCUIT BREAKER "C" TYPE (MCB)
240/415 V AC 50 Hz SUPPLY (BREAKING CAPACITY 10KA)

LIGHTING SERIES	SP	DP	TP	FP
"C TYPE"	CODE	CODE	CODE	CODE
6 AMP	TC - 3001	TC - 3009	TC - 3017	TC - 3025
10 AMP	TC - 3002	TC - 3010	TC - 3018	TC - 3026
16 AMP	TC - 3003	TC - 3011	TC - 3019	TC - 3027
20 AMP	TC - 3004	TC - 3012	TC - 3020	TC - 3028
25 AMP	TC - 3005	TC - 3013	TC - 3021	TC - 3029
32 AMP	TC - 3006	TC - 3014	TC - 3022	TC - 3030
40 AMP	TC - 3007	TC - 3015	TC - 3023	TC - 3031
63 AMP	TC - 3008	TC - 3016	TC - 3024	TC - 3032

ISOLATORS (240/415 V AC Hz SUPPLY)

REGULAR	DP	FP
	CODE	CODE
40 AMP	TC - 3033	TC - 3035
63 AMP	TC - 3034	TC - 3036

CHANGEOVER (240/415 V AC 50 Hz SUPPLY)

	DP	FP
	CODE	CODE
40 AMP	TC - 3037	TC - 3039
63 AMP	TC - 3038	TC - 3040

SINGLE PHASE SUB METER 5-30A



ELECTRONIC LCD METER

ELECTRONIC ANALOG METER

Product Name	CODE
ELECTRONIC LCD METER	TC - 4001

Product Name	CODE
ELECTRONIC ANALOG METER	TC - 4002

"We Appreciate Your Interest In Our Products."

THANK YOU



follow us



TEAMCAP ELECTRICALS PVT. LTD.

Regd Office: Block E-504, Karnavati Nagar, Sabarmati Highway,
Opp. Satyam Park, Acher, Sabarmati, Ahmedabad, Gujarat-380005 (INDIA)

Corporate Office: Godown-2, Opp. Vizag Steel, Sarkhej Dholka Road,
New Fatewadi, Ahmedabad, Gujarat-382210 (INDIA)

Customer Care: +91 97146 86780



+91 98246 86780



sales@teamcap.in



www.teamcap.in